


wentylatory promieniowe MPB




Dane techniczne

Typ	moc silnika [kW]	prędkość obrotowa [obr/min]	natężenie strum. [A]	napięcie [V]	kondensator [pF]	wydajność maks. [m³/h]	masa [kg]	nr artykułu
MPB60S	0,37	2800	3,00	230	12	810	13,5	45511004
MPB60T	0,37	2800	1,00	400 Y		810	13,5	45511005
MPB80S	0,37	2800	3,00	230	12	950	15,5	45511006
MPB80T	0,37	2800	1,00	400 Y		950	13,5	45511008
MPB100S	0,55	2800	4,00	230	18	1100	14,5	45511010
MPB100T	0,55	2800	1,35	400 Y		1100	14,0	45511030
MPB130S	0,75	2820	5,10	230	25	1500	20,0	45511050
MPB130T	0,75	2820	1,90	400 Y		1500	17,5	45511050
MPB200S	1,10	2820	7,90	230	30	2200	25,0	45511070
MPB200T	1,10	2820	2,50	400 Y		2200	22,0	45511080
MPB300T	2,20	2820	4,60	400 Y		3200	35,5	45511090
MPB500T	4,00	2900	7,50	400 Δ		5100	55,0	45511100
MPB700T	7,50	2800	14,00	400 Δ		8000	82,5	45511110
NOVOŚĆ MPB900T	15,00	2930	26,70	400 Δ		7000	29,0	45511117
NOVOŚĆ MPB1200T	15,00	2930	26,70	400 Δ		12750	200,0	45511120
NOVOŚĆ MPB1500T	22,00	2935	38,30	400 Δ		15000	350,0	45511125


Charakterystyki pracy








Wymiary [mm]




Charakterystyki pracy








Wymiary [mm]




Charakterystyki pracy



Wymiary [mm]



Charakterystyki pracy



Wymiary [mm]

